Please replace paragraph 003 of the specification with the following paragraph:

[003] The present application also relates to U.S. Patent Application No.
10/084,121, entitled "CALENDAR-BASED CALLING AGENTS," filed February 27, 2002;
U.S. Patent Application No. [[()]] 10/720,661, entitled "METHODS AND
SYSTEMS FOR DRAG AND DROP CONFERENCE CALLING," Attorney Docket No.
03-1012 filed November 24, 2003; U.S. Patent Application No. [[()]]
10/720,859, entitled "METHODS AND SYSTEMS FOR CONFERENCE CALL
BUFFERING," Attornoy Docket No. 03-1013 filed November 24, 2003; U.S. Patent
Application No. [[()]] 10/721,009, entitled "METHODS AND SYSTEMS FOR
COMPUTER ENHANCED CONFERENCE CALLING," Attorney Docket No. 03-1014
filed November 24, 2003; U.S. Patent Application No. [[()]] 10/720,943,
entitled "METHODS AND SYSTEMS FOR REMOTE CALL ESTABLISHMENT,"
Attorney Docket No. 03-1015 filed November 24, 2003; U.S. Patent Application No.
[[()]] 10/721,005, entitled "METHODS AND SYSTEMS FOR CALL
MANAGEMENT WITH USER INTERVENTION," Attorney Docket No. 03-1016 filed
November 24, 2003; U.S. Patent Application No. [[()]] 10/720,868, entitled
"METHODS AND SYSTEMS FOR DIRECTORY INFORMATION LOOKUP," Attorney
Docket No. 03-1017 filed November 24, 2003; U.S. Patent Application No.
[[()]] 10/720,970, entitled "METHODS AND SYSTEMS FOR AUTOMATIC
COMMUNICATION LINE MANAGEMENT BASED ON DEVICE LOCATION
AUTOMATICALLY FORWARDING CALLS TO CELL PHONE," Attorney Docket No. 03-
1018 filed November 24, 2003; U.S. Patent Application No. [[()]]
10/720 952 entitled "METHODS AND SYSTEMS FOR ADAPTIVE MESSAGE AND

CALL NOTIFICATION," Attorney Docket No. 03-1019 filed November 24, 2003; U.S.
Patent Application No. [[()]] 10/720,870, entitled "METHODS AND
SYSTEMS FOR A CALL LOG," Attorney Docket No. 03-1020 filed November 24, 2003;
U.S. Patent Application No. (), entitled "METHODS AND SYSTEMS FOR
AUTOMATIC FORWARDING OF CALLS TO A PREFERRED DEVICE," Attorney
Docket No. 03-1021; U.S. Patent Application No. [[()]] 10/720,971, entitled
"METHODS AND SYSTEMS FOR MULTI-LINE INTEGRATED DEVICE OR LINE
MANAGEMENT," Attornoy Docket No. 03-1022 filed November 24, 2003; U.S. Patent
Application No. [[()]] 10/720,784, entitled "METHODS AND SYSTEMS FOR
CONTACT MANAGEMENT," Attorney Docket No. 03-1023 filed November 24, 2003;
U.S. Patent Application No. [[()]] 10/720,920, entitled "METHODS AND
SYSTEMS FOR NOTIFICATION OF CALL TO PHONE DEVICE," Attorney Docket No
03-1024 <u>filed November 24, 2003</u> ; U.S. Patent Application No. [[()]]
10/720,825, entitled "METHODS AND SYSTEMS FOR SINGLE NUMBER TEXT
MESSAGING," Attorney Docket No. 03-1025 filed November 24, 2003; U.S. Patent
Application No. [[()]] 10/720,944, entitled "METHODS AND SYSTEMS FOR
MULTI-USER SELECTIVE NOTIFICATION," Attorney Docket No. 03-1026 filed
November 24, 2003; U.S. Patent Application No. [[()]] 10/720,933, entitled
"METHODS AND SYSTEMS FOR CPN TRIGGERED COLLABORATION," Attorney
Docket No. 03-1027 filed November 24, 2003; and U.S. Patent Application No.
[[()]] 10/720,938, entitled "METHODS AND SYSTEMS FOR PREEMPTIVE
REJECTION OF CALLS," Attorney Docket No. 03-1028 filed November 24, 2003, all of
which are expressly incorporated herein by reference in their entirety.

Please replace paragraph 054 of the specification with the following paragraph:

[054] Fig. 4 is a block diagram of a service center 106, consistent with the principles of the present invention. As shown, service center 106 may include firewalls 402 and 404, one or more digital companion servers 406, one or more communication portal servers 408, one or more network access servers 410, and a voice portal 412. Voice portal 412 may include a one or more voice portal application server servers 414 and a one or more voice recognition server servers 416. A network 418 may be used to interconnect the firewalls and servers. Additionally, back end server(s) 420 may be provided between the service center 106 and the voice network 104.

Please replace paragraph 091 of the specification with the following paragraph:

[091] As illustrated in Figs. 6A and 6B, a calling party first initiates a

communication to a digital companion customer (step 602). For example, calling party

120 may use a phone, such as phone 122, to call a digital companion customer, such

as user 110 at a specific telephone number associated with user 110. Alternatively, a

calling party may use other devices to establish communications other than phone calls

with a digital companion customer. Moreover, the calling party may be a digital

companion customer that uses a click-to-dial operation to call another digital companion

customer. In a click-to-dial operation, for example, a calling party may call a PSTN

device (such as a standard wire-line telephone) from a PSTN device of the calling party

by initiating an action on a packet network (e.g., data network). More particularly, the

calling party may click on a hyperlink, button, or other indicator for the calling party

presented on a display of a terminal 112. In response, an intelligent peripheral (IP) 320 (Figure 3) is notified and calls both the calling party and the called party on their respective PSTN devices. The IP may then bridge the two calls so that the calling party and the called party may communicate with each other. Click-to-dial is more fully explained in U.S. Patent Application No. [______] 10/317,937, entitled "METHODS AND SYSTEMS FOR MAKING TELEPHONE CALLS," filed December 12, 2002 (Attorney Docket No. 02-8000), which is herein incorporated by reference in its entirety.